

ASPEN Tiehack Heavy Duty Square Top Drain Gully

Load Class up to FACTA C250



Stainless

ASPEN Stainless hardworking stainless steel products for hardwearing environments:
British engineered with a lifetime guarantee.



Product Description

The Standard Tiehack HD Drain Gully is the most popular heavy duty unit, which is bead blasted with easy access for Rodding.



It has a robust construction suitable for hygienic environments accessed by heavy load factory traffic.

This Drain Gully is available in one outlet size with the option of a condense pipe.

Technical Specification

- > Body: made from 1.2mm stainless steel.
- > Top: made from 8mm stainless steel Durbar.
- > Crucifix across the outlet.
- > Increased material guage on the trap.
- > Extra support blocks on the cover & trap.
- > Grade 304 stainless steel (British Standard 304S31, Euronorm 1.4301)
- > EHEDG can be achieved with alterations

MODEL	REF	GULLY DIMENSIONS						FLOW RATES	FACTA LOAD CLASS
		A	B	C	D	E	F		
TIEHACK 110	TGS110HD	290	243	176	110	260	NA	4.0 Ltr/Sec	
TIEHACK 110 CONDENSE	TGS110HDC	290	243	176	110	260	38/42/50	4.0 Ltr/Sec	



All dimensions in mm.



+44 (0)115 986 6321
 aspen@canalengineering.co.uk
 www.aspen.eu.com

ASPEN Tiehack Heavy Duty Square Top Drain Gully

Load Class up to FACTA C250



ASPEN Stainless hardworking stainless steel products for hardwearing environments: British engineered with a lifetime guarantee.

ASPEN Drainage System

As the UK based designer and manufacturer of all ASPEN Stainless, Canal Engineering is able to offer a full range of products to complete your drainage system and can customize any of its Units or manufacture complete bespoke drainage systems.

Key Benefits

A versatile, robust and popular gully for use in any area utilising a solid and well established design to provide maximum drainage and good filtration of solids in heavily trafficked areas.

Maintenance

Stainless steel equipment should be occasionally thoroughly checked for retained deposits and concentrated fluid build up that causes corrosion.

Cleaning

Many factors affect the choice of cleaning method and frequency of its application. Suitable methods for stainless steel are: water and steam; mechanical non abrasive scrubbing; organic solvents and mild detergents.



Tiehack Heavy Duty Round Top Gully Expanded Sample


ASPEN Drainage Installation

Canal Engineering offer supply only or full installation, with fully welded and polished joints, and commissioning. Canal Engineering also offer on-going annual inspection and maintenance contracts.

For advice regarding the most suitable ASPEN Stainless for you please contact our technical sales team today to discuss your requirements.

ASPEN Drainage Options

- > Available in grade 316 stainless steel (British Standard 316S31, Euronorm 1.4401).
- > A range of Gully Covers.
- > Locking Gully Cover.
- > Gully Membrane Flange.
- > Tundish.



Tiehack Heavy Duty Square Top Gully 3D Render