

ASPEN Gully Drain Cover | Resin Filled Tray

Load Class up to FACTA C250



ASPEN Stainless hardworking stainless steel products for hardwearing environments:
British engineered with a lifetime guarantee.



Product Description

The Resin Filled Tray Gully Drain Cover is designed for both the Summit and Tiehack Gullies.

The cover is infilled with a resin floor finish to incorporate the colour, finish and functionality of the surrounding resin floor surface.

The cover can provide an improved slip resistant surface compared to the smooth cover, for safety under foot.

The cover can fit both round and square top Gullies.



Suitable for hygienic environments accessed by medium load factory traffic.

There are 6 other Gully Drain Cover options available in the Aspen Stainless range.

Technical Specification

- > 10mm stainless steel support bars.
- > 6mm stainless steel plate.
- > 9mm thick resin floor finish within a flat stainless steel hoop.
- > Stitch welded.
- > Available in Grade 304 or 316 stainless steel
- > Low Slip Potential according to UKSRG in dry & wet conditions.
- > EHEDG can be achieved with alterations

MODEL	REF	COVER DIMENSIONS			FACTA LOAD CLASS
		A	B	C	
RESIN FILLED TRAY TIEHACK	GC5T	25	280	NA	
RESIN FILLED TRAY SUMMIT	GC5S	25	200	NA	



All dimensions in mm.



ASPEN Gully Drain Cover | Resin Filled Tray

Load Class up to FACTA C250



ASPEN Stainless hardworking stainless steel products for hardwearing environments: British engineered with a lifetime guarantee.

ASPEN Drainage System

As the UK based designer and manufacturer of all ASPEN Stainless, Canal Engineering is able to offer a full range of products to complete your drainage system and can customize any of its Units or manufacture complete bespoke drainage systems.

Maintenance

Stainless steel equipment should be occasionally thoroughly checked for retained deposits and concentrated fluid build up that causes corrosion.

Cleaning

Many factors affect the choice of cleaning method and frequency of its application. Suitable methods for stainless steel are: water and steam; mechanical non abrasive scrubbing; organic solvents and mild detergents.


ASPEN Drainage Installation

Canal Engineering offer supply only or full installation, with fully welded and polished joints, and commissioning. Canal Engineering also offer on-going annual inspection and maintenance contracts.

For advice regarding the most suitable ASPEN Stainless for you please contact our technical sales team today to discuss your requirements.

ASPEN Slip Resistance

Classification of slip potential surfaces in wet and dry conditions are according to 'The Assessment of Floor Slip Resistance: The UK Slip Resistance Group (UKSRG) Guidelines issues 4 / 2011'. Results are obtained from tests carried out by our trained laboratory technicians in the internal laboraboraty. All figures are measured and expressed under laboratory conditions: Actual performance may vary from the above values depending upon site conditions. Contact the Technical Sales team for the actual slip resistant values or more information about the UKSRG.



Resin Filled Tray Gully Drain Cover

ASPEN Drainage Options

- > Available in grade 304 or 316 stainless steel